

FIG. 1

Asa-2000-0918
Page 2 of 7




FIG. 2




FIG. 3



ENTER

AUSQ-2000-0928
page 6 of 7

AT A RECEIVING DISPLAY STATION PROVIDE A WEB BROWSER WITH CAPABILITY OF REQUESTING WEB SEARCHES BY ONE OR MORE WEB SEARCH ENGINES AND LOADING WEB PAGES ACCESSED BY SEARCH ENGINES INTO DISPLAY STATIONS

80

FIG. 6

PROVIDE WEB BROWSER WITH THE FACILITY TO REQUEST SEARCHES THROUGH SEARCH ENGINES WHICH APPLY AND TRACK WEIGHTS FOR HYPERTEXT DOCUMENT OR ACCESS DATABASES WHICH ASSIGN WEIGHTS TO DOCUMENTS BASED UPON DOCUMENT ATTRIBUTES, E.G., FREQUENCY OF DOCUMENT ACCESS OR NOTORIETY OF DOCUMENT

81

PROVIDE THE WEB BROWSER WITH THE FACILITY TO SORT THE HYPERLINKS IN EACH RECEIVED WEB PAGE AND TO PRIORITIZE THE HYPERLINKS BASED UPON THE WEIGHTS OF THEIR LINKED WEB DOCUMENTS. (WEIGHTS ARE OBTAINED THROUGH SEARCH ENGINES)

82

PROVIDE THE WEB BROWSER WITH THE CAPABILITY VISUALLY DISTINGUISHING SETS OF HYPERLINKS IN A RECEIVED WEB PAGE FROM OTHER HYPERLINKS IN THE PAGE BASED UPON DIFFERENT PRIORITY LEVELS

83

PROVIDE THE WEB BROWSER WITH CAPABILITY TO DISTINGUISH SETS OF HYPERLINKS THROUGH COLOR, BRIGHTNESS, BLINKING OR BY SHOWING ONLY HIGH PRIORITY SET OF HYPERLINKS AS ACTIVE HYPERLINKS

84

PROVIDE WEB BROWSER WITH CAPABILITY TO PREFETCH HIGH PRIORITY HYPERLINK WEB DOCUMENT SET PRIOR TO USER SELECTION OF ANY HYPERLINKS

85

END

